

AEG

Premier Partner

2024 APPLIANCE RANGE MAP

Showroom Copy





INNOVATION FOR GOOD

At AEG, we're relentless in our pursuit of responsible design. Living more sustainably today, whilst setting new standards for tomorrow.

70%

70% **recycled plastic** is used in the inner liners of our new built-in refrigerators.

98%

98% of electricity used in global operations is from **renewable** sources.

82%

82% reduction in **our scope 1 and 2 CO₂ emissions** since 2015 – 3 years ahead of our 2025 goal of -80%.

ZERO WASTE PLANTS

55% of **Electrolux** plants were zero waste certified by the end of 2022 according to our Zero Waste to Landfill programme.

By focusing on our major impacts, we will prevent millions of metric tons of greenhouse gases from entering the atmosphere. This is our roadmap to become climate neutral throughout the value chain by 2050.

Source: Electrolux Group Sustainability Report 2022



CONTENTS

The Matt Black Collection	06
The Gloss Black Collection	16
Single Ovens / Matching Compact Ovens	24
Coffee Machines	30
Microwaves	32
Warming Drawers / Vacuum Sealers	34
Double Ovens	36
Hobs	40
Hoods	50
Dishwashers	56
Refrigeration	58
Wine Cabinets	62
Laundry	64
Small Appliances / Accessories Range	70

Installation Diagrams now available on **Premier Partner Fusion**, our online brochure tool, Please ask your Account Manager for details.

INNOVATIONS THAT PUSH BOUNDARIES

We lead by challenging convention and creating innovations that go beyond what is expected from our appliances. We know your customers already master their skills, we are here to help them take them even higher. With innovations that push the boundaries of what is achievable. Smart solutions engineered to learn and predict user needs and adapt to how they live. We always match sustainability with beauty and unparalleled performance, so there's no need to compromise. It's time to forget outdated rules and trust our appliances.

DISHWASHERS

There are several factors to consider when looking for a new dishwasher that best suits your needs. Space, capacity and smart programmes all influence which dishwasher you should select. AEG Dishwashers provide innovative features that make washing every glass, dish and pan that little bit easier.

HOBBS

At AEG we believe that a hob should look as good as it performs. Which is why all our induction hobs are designed not just to bring out the best in the dishes being cooked, but also to provide unrivalled flexibility whilst looking fantastic in every kitchen.

HOODS

Cooking environments need to be fresh, bright and peaceful, enriching the time spent there. We use advanced technology to ensure that the design and build of our cooker hoods give the optimum combination of high-end design and powerful functionality.

OVENS

However your customers like to cook and whatever their favourite dishes, there's an AEG oven for everyone. Featuring our intelligent technology, every oven in our range makes it effortless and enjoyable to create great tasting food.

REFRIGERATION

Flavour is all about freshness and storing ingredients – the right humidity and temperature is vital. But fridge arrangements are a very personal choice. Our solution allows for complete individuality. Everything and anything fits in perfectly for long-lasting flavour.

COMFORTLIFT®

HOB²HOOD

TWINTECH NO FROST

SENSECOOK

SENSEPRO®

AEG

PEACE OF MIND BUILT IN

All our appliances featured within this brochure are available through our AEG Premier Partner retailers and are covered by our extended five year parts and labour warranty. Premier Partner will register them on customers' behalf so they don't have to worry about a thing. During the warranty period customers are protected against the cost of parts, call-out and labour charges.

All work is carried out by our national network of approved AEG engineers.



AEG

RARE, MEDIUM, WELL DONE AT YOUR COMMAND

Order from the SteamPro oven with Command Wheel as if ordering at a restaurant. Select rare, medium or well done to enjoy perfect results at home, without ever dealing with degrees. Why compromise on an oven that doesn't meet these standards?

CHALLENGE THE EXPECTED

DISCOVER MORE AT AEG.CO.UK



AEG

THE MATT BLACK COLLECTION

The Matt Black Collection from AEG brings together years of material engineering for an exclusive and premium execution. The quality of the materials are brought to life with architectural edges and tactile surfaces, with polished displays and interaction areas bringing new aesthetics and improved functionality to an increasingly sophisticated kitchen space.

INSPIRATION BEHIND THE DESIGN











“The matt glass fascia is created by an etching process, a technology from the architectural world. The matt texture has natural anti-fingerprint properties, which is tested to be much more resistant to stains and easier to clean, bringing an advanced level of performance.”

Terence Tan

Terence Tan, Senior Master Designer



MATT BLACK COLLECTION - COMMAND WHEEL

Command Wheel				Hobs		
Multifunction Pyrolytic Self-Cleaning	Multifunctional with Steam and SousVide	Multifunction Oven with Microwave	Coffee Machine	60cm SaphirMatt	80cm SaphirMatt	83cm Recirculation or Ducted
1 Premier Partner EXCLUSIVE  BPK948330T	2 Premier Partner EXCLUSIVE  BSK999330T	3 Premier Partner EXCLUSIVE  KMK968000T	4 Premier Partner EXCLUSIVE  KKK994500T	5  NII64G00AZ Available in April	6  NIK85M00AZ Available in April	7  NCP84C01AZ Available in April
Wine Cooler		Warming Drawer		Vacuum Sealer		
Built-In Compact		14cm				
8  KWK884520T	9  KDK911424T	10 Premier Partner EXCLUSIVE  KDK911423T				

Specifications

Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Telescopic Runners (Set)	Oven Liners	Energy Rating	Connected Load (W)	Amp	Aperture (mm)
1 BPK948330T	Matt Black Multifunction Pyrolytic Self-Cleaning Oven with Command Wheel	13	Pyrolytic	Yes	71	1	Enamel	A++	3500	16	H590 x W560 x D550
2 BSK999330T	Matt Black Multifunctional with Steam and SousVide with Command Wheel	17	Steam	Yes	70	1	Enamel	A++	3500	16	H590 x W560 x D550
Model	Type	Functions	Connected	Litre Capacity	Connected Load (W)	Amp	Energy Rating	Aperture (mm)			
3 KMK968000T	Matt Black Compact Multifunction Oven with Microwave and Command Wheel	14	Yes	43	3000	13	N/A	H450 x W560 x D550			
Model	Type	Functions	Connected	Water Tank Litre Capacity	Connected Load (W)	Amp	Aperture (mm)				
4 KKK994500T	Matt Black Coffee Machine with Command Wheel	16	No	2.4	1350	13	H450 x W560 x D550				
Model	Type	Number of Zones	Hob2Hood	Stop&Go /Pause	Bridging Function	Control Type	KW Rating	Aperture (mm)			
5 NII64G00AZ	60cm SaphirMatt	4	Yes	Yes	Single Flexibridge	DirekTouch Slider	7400	H44 x W560 x D490			
6 NIK85M00AZ	80cm SaphirMatt	5	Yes	Yes	Double	DirekTouch Slider	7400	H44 x W750 x D490			
Model	Type	Number of Zones	Bridging Function	Control Type	Filter Included	Noise Level* (dB)	Installation Type	KW Rating	Aperture (mm)		
7 NCP84C01AZ	83cm Recirculation or Ducted	4	Double	DirekTouch	Grease & Charcoal	48dB - 64dB	Recirculation or Duct out	7350	D490 x W780		
Model	Type	Capacity	Shelves	Energy Rating	Noise Rating	Appliance Dimension (mm)					
8 KWK884520T	Matt Black Compact Wine Cooler	18 Bottles	2	F	C	H450 x W560 x D550					
Model	Type	Functions	Place Setting	Temp Range °C	Aperture (mm)						
9 KDK911424T	14cm Matt Black Warming Drawer	6	6	30-80	H141 x W560 x D550						
10 KDK911423T	14cm Matt Black Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550						

AEG











THE MATT BLACK TOUCH CONTROL

Bringing together years of material innovation, our Matt Black finish combined with traditional glass offers a seamless look designed for performance.

Naturally stain-resistant and safe from fingerprints, the Matt Black surface maintains its quality over time. Truly sophisticated, this new collection offers kitchens an elevated sense of elegance.



MATT BLACK COLLECTION - TOUCH CONTROL

Ovens		Multifunction Oven	Hobs		
SteamCrisp Quarter Steam & Oven	SenseCook Pyrolytic Self-Cleaning Oven	with Microwave	60cm SaphirMatt	80cm SaphirMatt	83cm Recirculation or Ducted
1	2	3	4	5	6
					
BSK778380T	BPK748380T	KMK768080T	NII64G00AZ Available in April	NIK85M00AZ Available in April	NCP84C01AZ Available in April
Built-In Compact		Vacuum Sealer	Warming Drawer		
Bean to Cup Coffee Machine	45cm Wine Cooler	14cm	14cm		
7	8	9	10		
					
KKA894500T	KWK884520T	KDK911423T	KDK911424T		

Specifications

Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Telescopic Runners (Set)	Oven Liners	Energy Rating	Connected Load (W)	Amp	Aperture (mm)
1 BSK778380T	Connected SteamCrisp Quarter Steam & Pyrolytic Oven with Touch Controls	19	Pyrolytic	Yes	71	1	Enamel	A++	3500	16	H590 x W560 x D550
2 BPK748380T	Connected SenseCook Pyrolytic Oven with Sophisticated Touch Controls	16	Pyrolytic	Yes	71	1	Enamel	A++	3500	16	H590 x W560 x D550
Model	Type	Functions	Connected	Litre Capacity	Connected Load (W)	Amp	Energy Rating	Aperture (mm)			
3 KMK768080T	Matt Black CombiQuick Combination Microwave Compact Oven with Touch Controls	23	Yes	43	3000	13	N/A	H450 x W560 x D550			
Model	Type	Number of Zones	Hob2Hood	Stop&Go /Pause	Bridging Function	Control Type	KW Rating	Aperture (mm)			
4 NII64G00AZ	60cm SaphirMatt	4	Yes	Yes	Single Flexibridge	DirekTouch Slider	7400	H44 x W560 x D490			
5 NIK85M00AZ	80cm SaphirMatt	5	Yes	Yes	Double	DirekTouch Slider	7400	H44 x W750 x D490			
Model	Type	Number of Zones	Bridging Function	Control Type	Filter Included	Noise Level* (dB)	Installation Type	KW Rating	Aperture (mm)		
6 NCP84C01AZ	83cm Recirculation or Ducted	4	Double	DirekTouch	Grease & Charcoal	48dB - 64dB	Recirculation or Duct out	7350	D490 x W780		
Model	Type	Functions	Connected	Water Tank Litre Capacity	Connected Load (W)	Amp	Aperture (mm)				
7 KKA894500T	Matt Black, Bean to Cup Compact Coffee Machine	16	No	2.4	1350	13	H450 x W560 x D550				
Model	Type	Capacity	Temperature Range	Shelves	Energy Rating	Noise Rating	Aperture (mm)				
8 KWK884520T	45cm Matt Black Compact Wine Cooler	18 Bottles	5 - -5°C	2	N/A	C	H450 x W560 x D550				
Model	Type	Functions	Place Setting	Temp Range °C	Aperture (mm)						
9 KDK911423T	14cm Matt Black Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550						
10 KDK911424T	14cm Matt Black Warming Drawer	6	6	30-80	H141 x W560 x D550						

*Dependent on installation. **Available as an accessory.

MATT BLACK COLLECTION

	Angled Screen			Canopy Hood	
	60cm	90cm		54cm	80cm
AEG	1 	2 	3 	4 	5 
	DVE5671HR	DVE5971HR	DVK6981HB	DGE5661HB	DGE5861HB

	Canopy with AutoSense			Pull Out with Perfect Illumination		T-Shape
	60cm	90cm	105cm	60cm		60cm
AEG	6 	7 	8 	9 	10 	11 
	GDG966AB Available in April	GDG969AB Available in April	GDG961AB Available in April	GDP866PB Available in April	GDP869PB Available in April	DBE5681HR

Specifications

	Model	Type	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	DVE5671HR	60cm Matt Black Angled Screen Hood	700	42dB – 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
2	DVE5971HR	90cm Matt Black Angled Screen Hood	700	54dB – 74dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
3	DVK6981HB	90cm Designer Screen Matt Black with Black Gloss Frame	750	42dB – 73dB	A+	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
4	DGE5661HB	54cm Canopy	430	54dB – 68dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
5	DGE5861HB	80cm Canopy	430	54dB – 68dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
6	GDG966AB	60cm Matt Black Canopy with AutoSense	700	54dB – 74dB	A++	AutoSense	MCFB84	MCFB85	Electric 500 / Gas 570
7	GDG969AB	90cm Matt Black Canopy with AutoSense	700	54dB – 74dB	A++	AutoSense	MCFB84	MCFB85	Electric 500 / Gas 570
8	GDG961AB	105cm Matt Black Canopy with AutoSense	600	49dB – 70dB	A++	AutoSense	MCFB84	MCFB85	Electric 500 / Gas 650
9	GDP866PB	60cm Matt black Pull-out with Perfect Illumination	700	54dB – 74dB	A	Yes	MCFB82	MCFB83	Electric 500 / Gas 570
10	GDP869PB	90cm Matt black Pull-out with Perfect Illumination	700	54dB – 74dB	A	Yes	MCFB82	MCFB83	Electric 500 / Gas 570
11	DBE5681HR	Matt Black 60cm T-Shape	700	44dB – 65dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650











*Dependent on installation. **Available as an accessory.

AEG

THE GLOSS BLACK
COLLECTION



GLOSS BLACK COLLECTION

Command Wheel					Warming Drawer	Vacuum Sealer
Multifunction Sous Vide Oven with SteamPro	SteamCrisp Quarter Steam & Pyrolytic Oven	SenseCook Pyrolytic Self-Cleaning Oven	Multifunction Oven with Microwave	Coffee Machine	14cm	
1	2	3	4	5	6	7
						
BSK999330B	BSK978330B	BPK948330B	KMK968000B	KKK994500B	KDE911424B	KDE911423B
Touch Controls						
SteamPro Sous Vide Oven		Multifunction Pyrolytic Self-Cleaning Oven		Compact Multifunction Oven with Microwave		
8		9		10		
	BSK798280B		BPK748380B		KMK768080B	

Specifications

Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Energy Rating	Aperture (mm)
1 BSK999330B	Connected SteamPro Multifunction Sous Vide Oven with Command Wheel	25	Steam	Yes	70	A++	H590 x W560 x D550
2 BSK978330B	Connected SteamCrisp Quarter Steam & Pyrolytic Self-Cleaning Oven with Command Wheel	19	Steam & Pyrolytic	Yes	71	A++	H590 x W560 x D550
3 BPK948330B	Connected SenseCook Pyrolytic Self-Cleaning Oven	17	Pyrolytic	Yes	71	A++	H590 x W560 x D550
Model	Type	Functions	Connected	Litre Capacity	Energy Rating	Aperture (mm)	
4 KMK968000B	Connected CombiQuick Combination Microwave Compact Oven with Command Wheel	23	Yes	43	N/A	H450 x W560 x D550	
Model	Type	Functions	Connected	Water Tank Litre Capacity	Aperture (mm)		
5 KKK994500B	Coffee Machine with Command Wheel	16	No	2.5	H450 x W560 x D550		
Model	Type	Functions	Place Setting	Temp Range °C	Aperture (mm)		
6 KDE911424B	14cm Warming Drawer	4	6	30-80	H141 x W560 x D550		
Model	Type	Functions	Place Setting	Temp Range °C	Aperture (mm)		
7 KDE911423B	14cm Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550		
Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Energy Rating	Aperture (mm)
8 BSK798280B	Connected SteamPro Sous Vide Oven with Sophisticated Touch Controls and Steamify	25	Steam	Yes	71	A++	H590 x W560 x D550
9 BPK748380B	Connected Multifunction Pyrolytic Self-Cleaning Oven with Sophisticated Touch Controls	13	Pyrolytic	Yes	71	A++	H590 x W560 x D550
Model	Type	Functions	Connected	Litre Capacity	Energy Rating	Aperture (mm)	
10 KMK768080B	Compact Multifunction Oven with Grill & Microwave and Sophisticated Touch Controls	23	Yes	43	N/A	H450 x W560 x D550	

All single ovens and compacts come with 1 set of telescopic runners as standard.
 Connected load (single ovens = 3500W), (multifunction oven with microwave = 3000W), (coffee machine = 1350W).
 AMP (single ovens = 16 Amp), (multifunction oven with microwave = 13 Amp).

AEG

APPLIANCES FOR YOUR CUSTOMERS' LIFESTYLES



AEG

OUR LIFESTYLE RANGE



GOOD
FOR EVERYDAY


Multifunction Oven with SteamBake™
Pyrolytic and Rotary Controls



CombiQuick Combination Microwave
& Compact Oven with Rotary Controls



60cm SenseBoil™ Induction Hob



60cm Gas on Glass Hob with Step Power
LED Rotary Controls



BETTER
BUSY FAMILY LIFE


Connected SenseCook Pyrolytic Oven
with Touch Controls



Compact Multifunction Oven
with Grill and Touch Controls



80cm SenseBoil™ with Bridge Induction Hob



BEST
TECH SAVVY

Multifunction Pyrolytic Oven with SteamCrisp
and Command Wheel Control



Compact Multifunction Oven with Grill &
Microwave and Command Wheel Control



80cm TotalFlex Induction Hob



ALWAYS IN CONTROL

Our oven and compact range come with beautiful and intuitive user interfaces to suit every cooking need.



Command Wheel Controls

The Command Wheel is an intuitive way to operate all the cooking settings. Its swift response gives the operator complete control of every step of the cooking process.



Touch Controls

This intuitive touch display control panel gives access to a wide variety of oven functions to suit every dish.



Retractable Rotary Controls












High quality finish stainless steel retractable knobs.

THE PERFECT DESIGN ALIGNMENT

Our oven and compact range offer the perfect design alignment options, both horizontally and vertically. For matching design alignment including user interface, pair appliances with the same controls using the below chart.

Product Description	Command Wheel Control	Touch Controls	Retractable Rotary Controls
Single Multifunction SteamBake™ Oven with Catalytic Cleaning			BCK55636XM
Single Multifunction Oven with Pyrolytic Self-Cleaning	BPK948330B BPK948330M BPK948330T	BPK748380T BPK748380B BPK748380M	BPK55636PM BPK556260B
Single Multifunction SteamBake™ Oven with Pyrolytic Self-Cleaning			BPK355061M BPK355061B
Single Multifunction SteamCrisp Oven with Pyrolytic Self-Cleaning	BSK978330B	BSK772380M BSK778380T	
Single Multifunction SteamPro Oven	BSK999330B BSK999330M BSK999330T	BSK798280M BSK798280B	
Compact Multifunction Oven with Microwave	KMK968000B KMK968000M KMK968000T	KMK768080M KMK768080T KMK768080B	KMK365050M KMK565060M KMK565060B
Compact Microwave with Grill			KMK52860M
Compact Coffee Machine	KKK994500M		
14cm Warming Drawer	KDK911424M KDK911424T KDE911424B	KDK911424M KDK911424T KDE911424B	KDK911424M KDE911424B
Vacuum Sealers	KDK911423M KDK911423T KDE911423B	KDK911423M KDK911423T KDE911423B	KDK911423M KDE911423B

COMMAND WHEEL SINGLE OVENS AND COMPACTS

Command Wheel										
	Multifunction Oven with SousVide & Steamify®	Multifunction Pyrolytic Self-Cleaning Oven	Multifunction Sous Vide Oven with SteamPro	SteamCrisp Quarter Steam & Pyrolytic Oven	SteamCrisp Pyrolytic Self-Cleaning Oven	SenseCook Pyrolytic Oven	Multifunction Oven with SousVide & Steamify®	Multifunction Pyrolytic Self-Cleaning Oven		
AEG	1 Premier Partner EXCLUSIVE	2 Premier Partner EXCLUSIVE	3	4	5	6	7	8		
										
	BSK999330T	BPK948330T	BSK999330B	BSK978330B	BSK978330M	BPK948330B	BSK999330M	BPK948330M		
	Command Wheel									
		Compact Multifunction Oven with Grill & Microwave				Compact Multifunction Oven with Microwave				
	AEG	9	10 Premier Partner EXCLUSIVE				11			
										
		KMK968000M	KMK968000T				KMK968000B			

Specifications




	Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Energy Rating
1	BSK999330T	Matt Black Multifunction Oven with Steamify, SousVide and Command Wheel	17	Steam	Yes with CookView®	70	A++
2	BPK948330T	Matt Black Multifunction Pyrolytic Self-Cleaning Oven with Command Wheel	17	Pyrolytic	Yes	71	A++
3	BSK999330B	Connected SteamPro Multifunction Sous Vide Oven with Command Wheel	25	Steam	Yes with CookView®	70	A++
4	BSK978330B	Connected SteamCrisp Quarter Steam and Pyrolytic Oven with Command Wheel	19	Steam & Pyrolytic	Yes	71	A++
5	BSK978330M	Connected SteamCrisp and Pyrolytic Self-Cleaning Oven with Command Wheel	19	Steam & Pyrolytic	Yes	71	A++
6	BPK948330B	Connected SenseCook Pyrolytic Oven with Command Wheel	17	Pyrolytic	Yes	71	A++
7	BSK999330M	Connected SteamPro Multifunction Sous Vide Oven with Command Wheel	25	Steam	Yes with CookView®	70	A++
8	BPK948330M	Multifunction Pyrolytic Self-Cleaning Oven with Command Wheel	13	Pyrolytic	Yes	71	A++
9	KMK968000M	Compact Multifunction Oven with Grill and Microwave and Command Wheel	23	Clean enamel	Yes	43	N/A
10	KMK968000T	Matt Black Compact Multifunction Oven with Grill and Microwave and Command Wheel	23	Clean enamel	Yes	43	N/A
11	KMK968000B	Connected CombiQuick Combination Microwave Compact Oven with Command Wheel	23	Clean enamel	Yes	43	N/A

MODEL CODE FINISH DESCRIPTIONS M = Stainless Steel B = Black Glass T = Matt Black

All single ovens and compacts come with 1 set of telescopic runners as standard. Connected load (single ovens = 3500W), (multifunction oven with microwave = 3000W). Aperture sizes (single ovens H590 x W560 x D550mm), (compact ovens H450 x W560 x D550mm). AMP (single ovens = 16 Amp), (multifunction oven with microwave = 13 Amp).

TOUCH CONTROL SINGLE OVENS AND COMPACTS

Touch Controls									
	SteamCrisp Quarter Steam Oven	SenseCook Pyrolytic Self-Cleaning Oven	SteamPro Sous Vide Oven	Multifunction Pyrolytic Self-Cleaning Oven	SteamPro Sous Vide Oven with Steamify	Multifunction Pyrolytic Self-Cleaning Oven with SteamCrisp	Multifunction Pyrolytic Self-Cleaning Oven	Left-Side opening SenseCook Pyrolytic Oven	Right-Side opening SenseCook Pyrolytic Oven
	1	2	3	4	5	6	7	8	9
									
	BSK778380T	BPK748380T	BSK798280B	BPK748380B	BSK798280M	BSK772380M	BPK748380M	BPK742L81M	BPK742R81M

Touch Controls		
	Compact Multifunction Oven with Grill and Microwave	Compact Multifunction Oven with Microwave
	10	11
		
	KMK768080M	KMK768080B
		12
		
		KMK768080T






Specifications





	Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Energy Rating
1	BSK778380T	Connected SteamCrisp Quarter Steam and Pyrolytic Oven with Touch Controls	19	Pyrolytic	Yes	71	A++
2	BPK748380T	Connected SenseCook Pyrolytic Oven with Sophisticated Touch Controls	16	Pyrolytic	Yes	71	A++
3	BSK798280B	Connected SteamPro Sous Vide Oven with Sophisticated Touch Controls and Steamify	25	Steam	Yes	71	A++
4	BPK748380B	Blackline Multifunction Pyrolytic Self-Cleaning Oven with Sophisticated Touch Controls	13	Pyrolytic	No	71	A++
5	BSK798280M	Connected SteamPro Sous Vide Oven with Touch Controls and Steamify	25	Steam	Yes	70	A++
6	BSK772380M	SteamCrisp Quarter Steam and Pyrolytic Oven with Touch Controls	19	Steam & Pyrolytic	No	71	A+
7	BPK748380M	Connected Multifunction Pyrolytic Self-Cleaning Oven with Sophisticated Touch Controls	13	Pyrolytic	Yes	71	A++
8	BPK742L81M	Left-side opening SenseCook Pyrolytic Oven with Touch Controls	16	Pyrolytic	No	72	A+
9	BPK742R81M	Right-side opening SenseCook Pyrolytic Oven with Touch Controls	16	Pyrolytic	No	72	A+
10	KMK768080M	Compact Multifunction Oven with Grill and Microwave and Sophisticated Touch Controls	23	Clean enamel	Yes	43	N/A
11	KMK768080B	Blackline Compact Multifunction Oven with Grill & Microwave and Sophisticated Touch Controls	23	Clean enamel	Yes	43	N/A
12	KMK768080T	Matt Black CombiQuick Combination Microwave Compact Oven with Touch Controls	23	Clean enamel	Yes	43	N/A

MODEL CODE FINISH DESCRIPTIONS M = Stainless Steel B = Black Glass T = Matt Black

All single ovens and compacts come with 1 set of telescopic runners as standard. Connected load (single ovens = 3500W), (multifunction oven with microwave = 3000W). Aperture sizes (single ovens H590 x W560 x D550mm), (compact ovens H450 x W560 x D550mm). AMP (single ovens = 16 Amp), (multifunction oven with microwave = 13 Amp).

ROTARY CONTROL SINGLE OVENS AND COMPACTS






Rotary Controls				
SenseCook Multifunction Oven with SteamBake	SteamBake™ Pyrolytic Self-Cleaning Multifunction Oven	SteamBake™ Catalytic Self-Cleaning Multifunction Oven	Multifunction SteamBake™ with Pyrolytic Self-Cleaning Oven	
1  BPK556260B	2 Premier Partner EXCLUSIVE  BPK55636PM	3 Premier Partner EXCLUSIVE  BCK55636XM	4  BPK355061M	5  BPK355061B

Rotary Controls			
Compact Multifunction Oven with Microwave			Compact Microwave Oven and Grill
6  KMK565060B	7  KMK565060M	8  KMK365060M	9  KMK525860M

Specifications

Model	Type	No. Oven Functions	Cleaning Method	Connected	Litre Capacity	Telescopic Runners (Set)	Oven Liners	Energy Rating	Connected Load (W)
1 BPK556260B	SenseCook Pyrolytic Multifunction Oven with EXPlore retractable Rotary Controls and SteamBake	9	Pyrolytic	No	71	0	Enamel	A+	3500
2 BPK55636PM	SteamBake™ Pyrolytic Self-Cleaning Multifunction Oven with EXPlore retractable Rotary Controls	17	Pyrolytic	No	71	1	Enamel	A+	3300
3 BCK55636XM	SteamBake™ Multifunction Oven with EXPlore retractable Rotary Controls and Touch Controls	9	Catalytic	No	71	1	Catalytic	A+	3300
4 BPK355061M	SteamBake™ Pyrolytic Multifunction Oven with retractable Rotary Controls	9	Pyrolytic	No	72	0	Enamel	A+	3490
5 BPK355061B	SteamBake™ Pyrolytic Multifunction Oven with retractable Rotary Controls	9	Pyrolytic	No	72	0	Enamel	A+	3490
6 KMK565060B	CombiQuick Combination Microwave and Compact Oven (Use as an oven, microwave or combined) with EXPlore retractable Rotary Controls	14	Clean enamel	No	43	0	Enamel	N/A	3000
7 KMK565060M	CombiQuick Combination Microwave and Compact Oven (Use as an oven, microwave or combined) with EXPlore retractable Rotary Controls	14	Clean enamel	No	43	0	Enamel	N/A	3000
8 KMK365060M	CombiQuick Combination Microwave and Compact Oven (Use as an oven, microwave or combined) with retractable Rotary Controls	14	Clean enamel	No	43	0	Enamel	N/A	3000
9 KMK525860M	Microwave and Grill Compact with glass turntable and EXPlore retractable Rotary Controls	9	Clean enamel	No	43	0	Enamel	N/A	2100




COFFEE MACHINES

	Touch Controls		Command Wheel		
	Fully Automatic				
AEG	1	2	3 Premier Partner EXCLUSIVE	4	5
					
	KKA894500M	KKA894500T	KKK994500T	KKK994500M	KKK994500B

Specifications

	Model	Type	Functions	Water Tank Litre Capacity
1	KKA894500M	Stainless Steel, Bean to Cup Compact Coffee Machine	16	2.4
2	KKA894500T	Matt Black, Bean to Cup Compact Coffee Machine	16	2.4
3	KKK994500T	Matt Black Coffee Machine with Command Wheel	16	2.4
4	KKK994500M	Stainless Steel, Coffee Machine with Command Wheel	16	2.4
5	KKK994500B	Black Gloss Coffee Machine with Command Wheel	16	2.5





MICROWAVE OVENS




Touch Controls			
Built-In			
1		2	3
AEG	MBB1756SEM		
	MBE2658SEM		MBE2658SEB

Specifications

Model	Type	Capacity (L)	Power Levels	Cooking Programmes	Output	Aperture (mm)
1 MBB1756SEM	17ltr Built-in Microwave with Touch Controls	17	5	3	800W	H360 x W562 x D300
2 MBE2658SEM	26ltr Built-in Microwave with Touch Controls	26	5	3	900W	H450 x W562 x D500
3 MBE2658SEB	26ltr Built-in Microwave with Touch Controls	26	5	3	900W	H450 x W562 x D500

WARMING DRAWERS / VACUUM SEALERS




14cm Warming Drawers					29cm Warming Drawers
AEG	1	2	3	4	5
					
	KDK911424M	KDE911424B	KDK911424T	KDE911424M	KDK912924M



14cm Vacuum Sealers			
AEG	6	7	8
			
	KDK911423M	KDE911423B	KDK911423T

Specifications

Model	Type	Functions	Place Setting	Temp Range °C	Aperture (mm)
1 KDK911424M	14cm Black Glass & Stainless Steel Warming Drawer	6	6	30-60	H141 x W560 x D550
2 KDE911424B	14cm Blackline Warming Drawer	4	6	30-80	H141 x W560 x D550
3 KDK911424T	14cm Matt Black Warming Drawer	6	6	30-80	H141 x W560 x D550
4 KDE911424M	14cm Anti-fingerprint Stainless Steel Warming Drawer	4	6	30-80	H141 x W560 x D550
5 KDK912924M	29cm Black Glass & Stainless Steel Warming Drawer	6	12	30-60	H295 x W560 x D550
6 KDK911423M	14cm Black Glass & Stainless Steel Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550
7 KDE911423B	14cm Blackline Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550
8 KDK911423T	14cm Matt Black Vacuum Sealer	4	N/A	N/A	H141 x W560 x D550

DOUBLE OVENS

	Touch Controls	Rotary Controls	
	Built-In Multifunction	Built-In Multifunction	Built-In Multifunction
AEG	<p>1</p>  <p>DCK731110M</p>	<p>2</p>  <p>DCE531160B</p>	<p>3</p>  <p>DCK531160M</p>

	Touch Controls	Rotary Controls
	Built Under Multifunction	Built Under Multifunction
AEG	<p>4</p>  <p>DUK731110M</p>	<p>5</p>  <p>DUK531160M</p>

Specifications

	Model	Type	Oven Functions	Litre Capacity	Connected Load (W)	Energy Rating	Aperture (mm)
1	DCK731110M	Built-In Multifunction Double Oven with SurroundCook® and Touch Controls	Main - 8 Top - 7	Main - 62 Top - 43	5800	A/A	H720 x W600 x D550
2	DCE531160B	Black Built-In Multifunction Double Oven with Retractable Rotary Controls	Main - 9 Top - 5	Main - 61 Top - 42	4900	A/A	H875 x W560 x D550
3	DCK531160M	Built-In Multifunction Double Oven with Retractable Rotary Controls	Main - 9 Top - 5	Main - 61 Top - 42	4900	A/A	H875 x W560 x D550
4	DUK731110M	Built Under Multifunction Double Oven with SurroundCook® and Touch Controls	Main - 8 Top - 7	Main - 62 Top - 43	5800	A/A	H720 x W600 x D550
5	DUK531160M	Built Under Multifunction Double Oven with Retractable Rotary Controls	Main - 9 Top - 5	Main - 61 Top - 42	4900	A/A	H720 x W600 x D550

SAPHIRMATT

The elegant and unique SaphirMatt texture finish with superior scratch protection keeps induction hobs looking new for longer. Advanced surface resists fingerprints and stains. Twice as fast to clean compared to standard hob surfaces*. Up to 4 times more scratch resistant than a standard hob surface*.

*Based on external tests, compared to our standard hob surface without special treatment or coating.



TWICE AS FAST
TO CLEAN*


















FINGERPRINT
RESISTANT



UP TO 4 TIMES
SCRATCH RESISTANT*

CERAMIC & INDUCTION HOBS









	Ceramic 60cm		60cm				
	Touch Control	Plug & Play	Induction	SenseBoil®		Pure	SaphirMatt
AEG	1	2	3	4	5	6	7
							
	HK634060XB	ILB64334CB	IKB64401FB	IAE64411FB	IAE64421FB	IPE64551FB	NII64G00AZ Available in April

	80cm						90cm	
	Induction	SenseBoil®	5 Zone Bridge	Active Touch	TotalFlex	SaphirMatt	5 Zone Bridge	Mixed Fuel
AEG	8	9	10	11	12	13	14	15
								
	IKB84401FB	IAE84421FB	IKE85751FB	IKE85651FB	IKK86681FB	NIK85M00AZ Available in April	IKE95751FB	HDB95623NB

Specifications

	Model	Type	Number of Zones	Hob2Hood	Stop&Go /Pause	Bridging Function	Control Type	KW Rating	Aperture (mm)
1	HK634060XB	60cm Ceramic	4	No	Yes	No	Touch Control	7000	W560 x D490
2	ILB64334CB	60cm Plug & Play	4	Yes	Yes	No	Touch Control	3000	H44 x W560 x D490
3	IKB64401FB	60cm Induction	4	Yes	Yes	No	DirekTouch Slider	7400	H55 x W560 x D490
4	IAE64411FB	60cm SenseBoil®	4	Yes	Yes	No	DirekTouch Slider	7350	W560 x D490
5	IAE64421FB	60cm SenseBoil®	4	Yes	Yes	Single	DirekTouch Slider	7350	H55 x W560 x D490
6	IPE64551FB	60cm Pure	4	Yes	Yes	Double	Rotary DirekTouch	7400	W560 x D490
7	NII64G00AZ	60cm SaphirMatt	4	Yes	Yes	Single Flexibridge	DirekTouch Slider	7400	H44 x W560 x D490
8	IKB84401FB	80cm Induction	4	Yes	Yes	No	DirekTouch Slider	7350	H44 x W750 x D490
9	IAE84421FB	80cm SenseBoil®	4	Yes	Yes	Single	DirekTouch Slider	7350	H44 x W750 x D490
10	IKE85751FB	80cm 5 Zone Bridge	5	Yes	Yes	Double	DirekTouch Slider	7350	H44 x W750 x D490
11	IKE85651FB	80cm Active Touch	5	Yes	Yes	Double	ActiveTouch	7350	W780 x D490
12	IKK86681FB	80cm TotalFlex	6	Yes	Yes	Vertical & horizontal	Active Touch	7350	H44 x W750 x D490
13	NIK85M00AZ	80cm SaphirMatt	5	Yes	Yes	Double	DirekTouch Slider	7400	H44 x W750 x D490
14	IKE95751FB	90cm 5 Zone Bridge	5	Yes	Yes	Double	DirekTouch Slider	7350	H44 x W880 x D490
15	HDB95623NB	90cm Mixed Fuel	2 gas / 3 induction	Yes	Yes	Single	DirekTouch Slider	7200	W830 x D490

GAS HOBS

		60cm		75cm		
		Gas	Flamelight Gas on Glass	Gas	Flamelight Gas on Glass	TouchSure Gas on Glass
AEG	1		2 	3 	4 	5 
		HGB64420YM	HKB64450NB	HGB75420YM	HKB75450NB	HVB75450IB
90cm						
		Gas	Flamelight Gas on Glass	TouchSure Gas on Glass		
AEG	6		7 	8 		
		HGB95522YM	HKB95450NB	HVB95450IB		

Specifications

	Model	Type	Number of Burners	Wok Burner	Hob2Hood	Installation	Control Type	Supports	Aperture (mm)
1	HGB64420YM	60cm Gas	4	Yes	No	Standard	Rotary with StepPower	Cast Iron	D480 x W560
2	HKB64450NB	60cm Flamelight Gas on Glass	4	Yes	Yes	Standard	Rotary with LED StepPower	Cast Iron	D480 x W560
3	HGB75420YM	75cm Gas	5	Yes	No	Standard	Rotary with StepPower	Cast Iron	D480 x W560
4	HKB75450NB	75cm Flamelight Gas on Glass	5	Yes	Yes	Standard	Rotary with LED StepPower	Cast Iron	D480 x W560
5	HVB75450IB	75cm TouchSure Gas on Glass	5	Yes	Yes	Standard	DirekTouch	Cast Iron	D490 x W720
6	HGB95522YM	90cm Gas	5	Yes	No	Standard	Rotary with StepPower	Cast Iron	D480 x W830
7	HKB95450NB	90cm Flamelight Gas on Glass	5	Yes	Yes	Standard	Rotary with LED StepPower	Cast Iron	D480 x W830
8	HVB95450IB	90cm TouchSure Gas on Glass	5	Yes	Yes	Standard	DirekTouch	Cast Iron	D490 x W850

AEG

EXTRACTOR HOBS GIVING YOU ULTIMATE KITCHEN DESIGN FREEDOM

With a range of intelligent sensors built into AEG induction hobs, saving energy in the kitchen is seamless. Good to know that the food – and the electricity – isn't being overcooked.



EXTRACTOR HOBS. FAST, PERFECT INSTALLATION.

At AEG we aim to offer a Best-in-Class installation experience.

We are improving and renewing our domestic appliance installation process to ensure that installing our products is always as simple as possible.

3D models for both the extractor hobs and installation parts are available in 3D to use within kitchen design systems.

FEWER INSTALLATION STEPS:

- Unpack and let's go
- Just 30 installation steps compared with 85 for previous AEG ComboHob
- Professional and faster than usual in the market

65% less
installation steps
than previous
model

SIMPLE

- Text-free installation instructions
- Only one person
- Less tools required
- Adapts rapidly to fitting situation

FLEXIBLE

- Suits all kitchen designs
- All AEG products are simple to install
- Fits in standard niches

INSTALLATION OPTIONS:



RECIRCULATION VERSION

Recirculating air filters and cleans vapours using the two-in-one filter. The active charcoal filter in the two-in-one filter absorbs odours. Once cleaned, air returned to room.

New recirculating air models starting with **CCE84...**



DUCT OUT VERSION

Exhaust air filters vapours using grease filter. Filtered air is vented outside into open air.

New duct out models starting with **CDE84...**



DESIGNED
FOR DESIGN



PERFECT FIT



EASY
INSTALLATION



BEST
SUPPORT

EXTRACTOR HOBS

	Recirculation or Ducted		Recirculation			Ducted		
	68cm	83cm SaphirMatt	80cm Single Bridge	83cm Double Bridge	83cm Double Flexi Bridge	80cm Single Bridge	83cm Double Bridge	83cm Double Flexi Bridge
AEG	1 Premier Partner EXCLUSIVE	2	3	4	5	6	7	8
	NCH74B01AB Available in April	NCP84C01AZ Available in April	CCE84543FB	CCE84751FB	CCE84779FB	CDE84543FB	CDE84751FB	CDE84779FB

Specifications

	Model	Type	Number of Zones	Bridging Function	Control Type	Filter Included	Noise Level* (dB)	Installation Type	KW Rating	Aperture (mm)
1	NCH74B01AB	68cm Recirculation or Ducted	4	Single	DirekTouch	Grease & Charcoal	46dB – 62dB	Recirculation & Duct out	7500	D490 x W560
2	NCP84C01AZ	83cm Recirculation or Ducted	4	Double	DirekTouch	Grease & Charcoal	48dB – 64dB	Recirculation & Duct out	7350	D490 x W780
3	CCE84543FB	80cm Recirculation	4	Single	DirekTouch	2 in 1 Grease & Charcoal	52dB – 67dB	Ductless or Half Piping	7350	D490 x W750
4	CCE84751FB	83cm Recirculation	4	Double	DirekTouch	2 in 1 Grease & Charcoal	52dB – 67dB	Ductless or Half Piping	7350	D490 x W780
5	CCE84779FB	83cm Recirculation	4	FlexiBridge	DirekTouch	2 in 1 Grease & Charcoal	52dB – 67dB	Ductless or Half Piping	7350	D490 x W780
6	CDE84543FB	80cm Ducted	4	Single	DirekTouch	Grease	48dB – 64dB	Ducted Straight Down or Left/Right Orientation	7350	D490 x W750
7	CDE84751FB	83cm Ducted	4	Double	DirekTouch	Grease	48dB – 64dB	Ducted Straight Down or Left/Right Orientation	7350	D490 x W780
8	CDE84779FB	83cm Ducted	4	FlexiBridge	DirekTouch	Grease	48dB – 64dB	Ducted Straight Down or Left/Right Orientation	7350	D490 x W780

*Additional installation parts may be required depending on the install types. Please refer to the Extractor Hobs Installation guide. All extractor hobs come with Hob2Hood as standard. AMP = 32 Amp.

INSTALLATION OPTIONS.



RECIRCULATION VERSION


Rear Ductless




Half-Pipe base Vent with Universal Recirculation kit



Fitting situations for U1



Fitting situations for U2



For Half-Piping bottom Vent installation, order The Universal Ducting Kit M2CKCF01




DUCT OUT VERSION

Duct-Out Rear



Fitting situations for A1




For Duct Out Rear order UK fitting kit CDECLOSEDUC

Left/right side vent



Fitting situations for A2



For Left/Right side order UK fitting kit CDEFULLDUC

Additional parts will be required if installing as Half-Pipe.

Additional parts will be required if installing as Duct Out Rear or Left/Right side vent.

INSTALLATION KITS











Installation Kits			
	Ductless or Half Piping	Ducted Straight Down or Left/Right Orientation	
AEG	1 	2 	3

Specifications

	Model	Type	Install Type	Kit Contains
1	M2CKCF01	Half Pipe Installation Kit to complete a Half Pipe Recirculation Installation	Half Piping	Includes Piping kit ComboFlex: Rectangular Curve 90° X2, Rectangular curve 15° X2, Rectangular pipe 90x220 mm (1,2mt) X1, Female connection X1, Adaptor Naber X1
2	CDECLOSEDU	UK Install Kit to complete a Duct Out Close Installation.	Ducted out straight down at back of unit	Kit includes part codes M2CKCF03, M2CKCF05, M2CKCF09, M2CKCF10
3	CDEFULLDUC	UK Install Kit to complete a Duct Out Full Left/Right orientated Installation.	Ducted out left/right orientation	Kit includes part codes M2CKCF02, M2CKCF04, M2CKCF05, M2CKCF09, M2CKCF10

Additional Ducting Components Sold Separately - Please see price list for details

CHIMNEY / TRADITIONAL HOODS

		60cm					
		Pyramid	T-Shape	Matt Black T-Shape	T-Shape		
AEG	1						
		DKB4650M	DKB5660HM	DBE5661HG	DBE5681HR	DBK6680HG	
			70cm			90cm	
			T-Shape	Pyramid	T-Shape		
	AEG	6					
		DBE5761HG	DKB4950M	DKB5960HM	DBE5961HG	DBK6980HG	

Specifications

	Model	Type	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Charcoal Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	DKB4650M	60cm Pyramid	603	46dB – 75dB	B	No	MCFE01	MCFE11	Electric 500 / Gas 650
2	DKB5660HM	60cm Pyramid	779	38dB – 55dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
3	DBE5661HG	60cm T-Shape	700	44dB – 65dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
4	DBE5681HR	Matt Black 60cm T-Shape	700	44dB – 65dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
5	DBK6680HG	60cm T-Shape	750	46dB – 65dB	A+	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
6	DBE5761HG	90cm T-Shape	700	44dB – 54dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
7	DKB4950M	90cm Pyramid	603	46dB – 75dB	B	No	MCFE01	MCFE11	Electric 500 / Gas 650
8	DKB5960HM	90cm Pyramid	779	38db – 73db	A	No	MCFE01	MCFE11	Electric 500 / Gas 650
9	DBE5961HG	90cm T-Shape	700	44dB – 65dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
10	DBK6980HG	90cm T-Shape	750	46dB – 65dB	A+	Yes	MCFB58	MCFB59	Electric 500 / Gas 650

*Dependent on installation. **Available as an accessory.

INTEGRATED

60cm		54cm		60cm	
Traditional Integrated	Pull Out	Canopy		Traditional with Hob2Hood	Pull Out with Perfect Illumination
1  DEB2631S	2  DPB3632S	3  DGE5661HM	4  DGE5661HB	5  GDE686HM Available in April	6  GDP866PB Available in April

60cm	70cm	80cm		90cm		
Canopy with AutoSense	Canopy	Canopy		Pull Out with Perfect Illumination	Traditional with Hob2Hood	Pull Out with Perfect Illumination
7  GDG966AB Available in April	8  DGB3850M	9  DGE5861HM	10  DGE5861HB	11  DPB3932S	12  GDE689HM Available in April	13  GDP869PB Available in April






Specifications

	Model	Type	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	DEB2631S	60cm Integrated	370	52dB – 67dB	D	No	MCFE21	N/A	Electric 500 / Gas 700
2	DPB3632S	60cm Pull Out	410	48db – 69db	C	No	ECFB01	ECFBLL01	Electric 500 / Gas 570
3	DGE5661HM	54cm Canopy	700	54dB – 74dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
4	DGE5661HB	54cm Matt Black Canopy	700	54dB – 74dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
5	GDE686HM	60cm Traditional Hidden with Hob2Hood	750	46dB – 65dB	A+	Yes	MCFB86	No	Electric 500 / Gas 650
6	GDP866PB	60cm Matt black Pull-out with Perfect Illumination	700	54dB – 74dB	A	Yes	MCFB82	MCFB83	Electric 500 / Gas 570
7	GDG966AB	60cm Matt Black Canopy with AutoSense	700	54dB – 74dB	A++	AutoSense	MCFB84	MCFB85	Electric 500 / Gas 570
8	DGB3850M	70cm Canopy	600	49dB – 70dB	C	No	ECFB02	ECFBLL01	Electric 500 / Gas 650
9	DGE5861HM	80cm Canopy	700	54dB – 74dB	A	Yes	ECFB01	ECFBLL01	Electric 500 / Gas 570
10	DGE5861HB	80cm Matt Black Canopy	700	54dB – 74dB	A	Yes	ECFB01	ECFBLL02	Electric 500 / Gas 570
11	DPB3932S	90cm Pull Out with Perfect Illumination	410	48db – 69db	C	No	ECFB01	ECFBLL02	Electric 500 / Gas 570
12	GDE689HM	90cm Traditional Hidden with Hob2Hood	603	46dB – 75dB	B	Yes	MCFB86	No	Electric 500 / Gas 650
13	GDP869PB	90cm Matt black Pull-out with Perfect Illumination	700	54dB – 74dB	A	Yes	MCFB82	MCFB83	Electric 500 / Gas 570

*Dependent on installation. **Available as an accessory.

TRADITIONAL HIDDEN / ANGLED SCREEN / ISLAND HOODS





	90cm	105cm	120cm	60cm		90cm		
	Canopy with AutoSense		Traditional with Hob2Hood	Matt Black Angled Screen	Angled Screen	Matt Black Designer Screen	Matt Black Angled Screen	Angled Screen
AEG	1	2	3	4	5	6	7	8
								
	GDG969AB Available in April	GDG961AB Available in April	GDE682HM Available in April	DVE5671HR	DVE5671HG	DVK6981HB	DVE5971HR	DVE5971HG








	90cm			100cm	120cm
	Island Box	Ceiling	Downdraft	Island Box	Ceiling
AEG	9	10	11	12	13
					
	DIE5961HG	DCE5960HM	DDE5980G	DIK6180HG	DCK5281HG

Specifications

	Model	Type	Extraction Rate* Maximum (m³/h)	Noise Level* (dB)	Energy Rating	Hob2Hood	Filter Included	Upgraded Filter**	Installation Height Minimum (mm)
1	GDG969AB	90cm Matt Black Canopy with AutoSense	700	54dB – 74dB	A++	AutoSense	MCFB84	MCFB85	Electric 500 / Gas 570
2	GDG961AB	105cm Matt Black Canopy with AutoSense	600	49dB – 70dB	A++	AutoSense	MCFB84	MCFB85	Electric 500 / Gas 650
3	GDE682HM	120cm Traditional Hidden	700	44dB – 65dB	A	Yes	MCFB86	No	Electric 500 / Gas 650
4	DVE5671HR	60cm Matt Black Angled Screen Hood	700	42dB – 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
5	DVE5671HG	60cm Angled Screen	700	42dB – 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
6	DVK6981HB	90cm Designer Screen Matt Black with Black Gloss Frame	750	42dB – 73dB	A+	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
7	DVE5971HR	90cm Matt Black Angled Screen Hood	700	42dB – 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
8	DVE5971HG	90cm Angled Screen	700	42dB – 73dB	A	Yes	ECFB02	MCFB52	Electric 500 / Gas 500
9	DIE5961HG	90cm Island Box	700	44dB – 65dB	A	Yes	MCFB58	MCFB59	Electric 500 / Gas 650
10	DCE5960HM	90cm Ceiling	710	54dB – 67dB	A	Yes	MCFB60	MCFB62	Electric 750 / Gas 750
11	DDE5980G	90cm Downdraft	680	40dB – 70dB	A	No	MCFE38	No	N/A
12	DIK6180HG	100cm Island Box	750	46dB – 69dB	A+	Yes	MCFB58	MCFB59	Electric 500 / Gas 600
13	DCK5281HG	120cm Ceiling	720	57dB – 76dB	A+	Yes	MCFB60	MCFB62	Electric 750 / Gas 750

*Dependent on installation. **Available as an accessory.




Fully Integrated Slimline 45cm		Fully Integrated 60cm with Cutlery Basket	
6000 SatelliteClean		3000 AirDry	7000 SatelliteClean
1	2	3	4
			
FSE62407P	FSE73507P	FSB42607Z	FSK52617Z




Fully Integrated 60cm with Cutlery Drawer						
8000 SprayZone	6000 SatelliteClean	7000 Glasscare		9000 ComfortLift		
5	6	7	8	9	10	11
						
FSE84607P	FSK73917Z	FSK76738P	FSE74747P	FSK83828P	FSE83837P	FSK94858P

Specifications

	Model	Type	Place Settings	Programmes	Energy Rating	Water Consumption (L)	Noise Level (dB)	Noise Rating	Basket Type	Connected	ProClean XXL	Beam Type	Aperture (mm)
1	FSE62407P	45cm Fully Integrated Slimline	9	7	E	9.9	46	C	Cutlery Basket	No	No	Light Beam	H818 x W450 x D550
2	FSE73507P	45cm Fully Integrated Slimline	10	7	D	9.9	44	B	Cutlery Drawer	No	No	Light Beam	H818 x W450 x D550
3	FSB42607Z	60cm Fully Integrated	13	5	E	9.9	46	C	Cutlery Basket	No	No	Light Beam	H818 x W596 x D550
4	FSK52617Z	60cm Fully Integrated	13	7	E	9.9	44	B	Cutlery Basket	No	No	Light Beam	H818 x W596 x D550
5	FSE84607P	60cm Fully Integrated SprayZone	13	7	C	10.5	44	B	Cutlery Drawer	No	Yes	Light Beam	H818 x W596 x D550
6	FSK73917Z	60cm Fully Integrated	14	7	D	10.5	44	B	Cutlery Drawer	No	No	Light Beam	H818 x W596 x D550
7	FSK76738P	60cm Fully Integrated Connected GlassCare	14	7	A	11	43	B	Cutlery Drawer	Yes	Yes	Time Beam	H818 x W596 x D550
8	FSE74747P	60cm Fully Integrated GlassCare	15	7	C	11	44	B	Cutlery Drawer	No	Yes	Light Beam	H818 x W596 x D550
9	FSK83828P	60cm Fully Integrated Connected Comfortlift	14	7	D	11	44	B	Cutlery Drawer	Yes	Yes	Light Beam	H818 x W596 x D550
10	FSE83837P	60cm Fully Integrated Comfortlift	14	7	D	11	44	B	Cutlery Drawer	Yes	Yes	Light Beam	H818 x W596 x D550
11	FSK94858P	60cm Fully Integrated Connected Comfortlift	14	7	C	11	39	A	Cutlery Drawer	Yes	Yes	Time Beam	H818 x W596 x D550

REFRIGERATION







Integrated Fridges			
82cm Under Counter		178cm Larder	
AEG	1	2	3
			
	NSF6182EF NEW in 2024	NSK6182EF NEW in 2024	SKE818E1DC







Integrated Freezers			
82cm Under Counter		178cm Larder	
AEG	5	6	7
			
	OAB7N82EF	OAB6182EF NEW in 2024	ABK818E6NC

Specifications

Model	Type	Capacity (L)	Shelves/Drawers	Energy Rating	Noise Rating	Technology	Installation	Appliance Dimension (mm)
1 NSF6182EF	82cm Midi Integrated Fridge with 4 Star Freezer Compartment	203	3 full shelves / flexi shelf	E	C	Coolmatic	Door on Door Fixing	H820 x W560 x D550
2 NSK6182EF	82cm Midi Integrated Fridge	133	3 full shelves / 1 full salad drawer	E	C	Coolmatic	Door on Door Fixing	H820 x W600 x D550
3 SKK818E9ZC	178cm Larder Integrated Fridge	276	3 full shelves / 3 Long Fresh drawers / flexi shelf	E	C	LongFresh Drawer	Door on Door Fixing	H1780 x W560 x D550
4 SKE818E1DC	178cm Larder Integrated Fridge	311	4 full shelves / flexi shelf	E	B	DynamicAir	Soft Close Door on Door Fixing	H1780 x W560 x D550
5 OAB7N82EF	82cm Under Counter Freezer	85	3 full drawers	E	D	NoFrost	Soft Close Door on Door Fixing	H820 x W600 x D550
6 OAB6182EF	82cm Under Counter Freezer	95	3 full drawers	E	C	Frostmatic	Door on Door Fixing	H820 x W600 x D550
7 ABK818E6NC	178cm Larder Integrated Freezer	204	4 full drawers	E	C	NoFrost Frostmatic	Soft Close Door on Door Fixing	H1780 x W560 x D550

REFRIGERATION

50:50 Integrated Fridge Freezer		70:30 Integrated Fridge Freezer			
178cm Low Frost	177cm TwinTech® NoFrost	177cm Low Frost	177cm TwinTech® NoFrost	Greenzone	178cm NoFrost
1  OSC5S185ES	2  OSC6T185ES	3  OSC5S181ES	4  OSC6N181ES	5  OSC7G181ES NEW in 2024	6  NSC7G181DS

70:30 Integrated Fridge Freezer			60:40 Freestanding Fridge Freezers		
Cooling360° and ExtraChill	ExtraTall Cooling & CustomFlex® NoFrost	MaxiSpace 188cm TwinTech® NoFrost	178cm Multiswitch	185cm TwinTech® NoFrost	
7  TSC8M181CS NEW in 2024 <small>The only C Energy Rated Integrated Fridge Freezer model on the market</small>	8  SCE819E5TS	9  NSC8M191DS	10  NSC7G752ES	11  RMB954E9VX	12  RCB732E7MG

Specifications

	Model	Type	Capacity (L)	Shelves/Drawers	Energy Rating	Noise Rating	Technology	Appliance Dimension (mm)
1	OSC5S185ES	50:50 Integrated Fridge Freezer	Fridge - 163 Freezer - 106	Fridge - 3 full shelves + 2 drawers Freezer - 4 full drawers	F	C	Low Frost	H1772 x W548 x D549
2	OSC6T185ES	50:50 Integrated Fridge Freezer	Fridge - 195 Freezer - 62	Fridge - 4 full shelves Freezer - 3 full drawers	E	B	TwinTech® NoFrost	H1772 x W546 x D549
3	OSC5S181ES	70:30 Integrated Fridge Freezer	Fridge - 198 Freezer - 73	Fridge - 3 full width glass shelves + 2 drawers Freezer - 3 full drawers	E	B	Low Frost	H1772 x W546 x D549
4	OSC6N181ES	70:30 Integrated Fridge Freezer	Fridge - 194 Freezer - 76	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	B	TwinTech® NoFrost	H1772 x W546 x D549
5	OSC7G181ES	70:30 Integrated Fridge Freezer	Fridge - 195 Freezer - 62	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	B	TwinTech® NoFrost GreenZone Drawer	H1772 x W546 x D549
6	NSC7G181DS	70:30 Integrated Fridge Freezer	Fridge - 194 Freezer - 62	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	D	B	TwinTech® NoFrost GreenZone Drawer	H1772 x W546 x D549
7	TSC8M181CS	70:30 Integrated Fridge Freezer	Fridge - 186 Freezer - 62	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	C	B	Cooling360° and ExtraChill NoFrost	H1772 x W546 x D549
8	SCE819E5TS	70:30 Extra Tall Integrated Frost-Free Fridge Freezer	Fridge - 194 Freezer - 74	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	B	TwinTech® NoFrost	H1842 x W540 x D552
9	NSC8M191DS	70:30 Extra Tall CustomFlex® Integrated Fridge Freezer	Fridge - 207 Freezer - 62	Fridge - 3 full shelves + 1 flexi shelf Freezer - 3 full drawers	D	B	GreenZone+ Extra Chill NoFrost Multi Switch Drawer	H1884 x W546 x D549
10	MaxiSpace NSC7G752ES	70:30 Integrated Fridge Freezer	Fridge - 287 Freezer - 89	Fridge - 4 full shelves + 1 flexi shelf Freezer - 3 full drawers	E	B	TwinTech® NoFrost GreenZone Drawer	H1884 x W696 x D549
11	RMB954E9VX	American Style Freestanding Multiswitch Fridge Freezer	Fridge - 378 Freezer - 239	Fridge - 1 Full Width, 1Flexi shelf, Glass full width with front and rear trim and 1 Bottle Shelf Freezer - 1 Maxi Drawer with divider + 1 Slide Drawer, 1 drawer, ice dispenser	E	D	Connected TwinTech® NoFrost Ultrafresh+ Drawer Multiswitch	H1780 x W912 x D758
12	RCB732E7MG	60/40 Matt Black Freestanding Fridge Freezer	Fridge - 208 Freezer - 94	Fridge - 2 Full Width shelves, 1 Full width drawer, 1 pull out drawer Freezer - 2 full width drawers, 1 half depth drawer	E	D	TwinTech® NoFrost Extra Chill Drawer	H1850 x W595 x D630

WINE CABINETS



Built-In Compact		Undercounter 30cm		Undercounter 60cm			
	1	2	3	4	5	6	7
							
	KWK884520T	KWK884520M	AWUS020B5B	AWUS018B7B	AWUS052B5B	AWUS040B8B	AWUD040B8B

Specifications







Model	Type	Capacity	Shelves	Energy Rating	Noise Rating	Appliance Dimension (mm)
1 KWK884520T	45cm Matt Black Compact Wine Cooler	18 Bottles	2	F	C	H455 x W596 x D566
2 KWK884520M	45cm Compact Wine Cooler	18 Bottles	2	F	C	H455 x W596 x D566
3 AWUS020B5B	30cm Under Counter Wine Cooler	20 Bottles	6	G	D	H820 x W295 x D571
4 AWUS018B7B	30cm Under Counter Wine Cooler	18 Bottles	5	G	C	H818 x W295 x D573
5 AWUS052B5B	60cm Under Counter Wine Cooler	52 Bottles	6	G	D	H822 x W600 x D550
6 AWUS040B8B	60cm Under Counter Wine Cooler	40 Bottles	5	F	C	H818 x W595 x D577
7 AWUD040B8B	60cm Under Counter Wine Cooler	40 Bottles	3	G	C	H818 x W595 x D577





AEG

MAGNIFICENT ALONE. MASTERFUL TOGETHER.

Enjoy stylish design symmetry and complementary care technologies when you partner your Washing Machine with its matching Tumble Dryer.








Integrated Washing Machine		Freestanding Washing Machines				
7kg	8kg	8kg	9kg	9kg	10kg	
1	2	3	4	5	6	
						
LF7E7431BI	LF7C8636BI	LFR71844B	LFR73944B	LFR84946UC	LFR95146WS	

Freestanding Tumble Dryers			
8kg	9kg		9kg with Absolute Care
7	8	9	10
			
TR718L4B	TR739G4B Available in June/July 2024	TR849P4B	TR959M6BC

Specifications

Model	Type	Programmes	Drum Size	Speed (rpm)	Technology	Water Consumption (L)	Energy Rating	Noise Rating	Appliance Dimension (mm)
1 LF7E7431BI	7000 Series Integrated Washing Machine	14	7kg	1400	ProSteam®	47	B	A	H819 x W596 x D553
2 LF7C8636BI	7000 Series Integrated Washing Machine	14	8kg	1600	ProSteam®	45	B	A	H819 x W596 x D553
3 LFR71844B	7000 Series Freestanding Washing Machine	10	8kg	1400	ProSteam®	42	A	B	H847 x W596 x D602
4 LFR73944B	7000 Series Freestanding Washing Machine	12	9kg	1400	ProSteam®	46	A	B	H847 x W597 x D660
5 LFR84946UC	8000 Series Freestanding Washing Machine	12	9kg	1400	PowerCare	46	A	A	H847 x W597 x D660
6 LFR95146WS	9000 Series Freestanding Washing Machine	12	10kg	1400	AbsoluteCare	47	A	A	H847 x W597 x D660
7 TR718L4B	7000 Series Freestanding Tumble Dryer	10	8kg	N/A	ProSense®	N/A	A++	N/A	H850 x W596 x D663
8 TR739G4B	7000 Series Freestanding Tumble Dryer	12	9kg	N/A	ProSense	N/A	A+++	N/A	H850 x W596 x D663
9 TR849P4B	8000 Series Freestanding Tumble Dryer	12	9kg	N/A	AbsoluteCare®	N/A	A++	N/A	H850 x W596 x D663
10 TR959M6BC	9000 Series Freestanding Tumble Dryer	12	9kg	N/A	AbsoluteCare® Plus	N/A	A+++	N/A	H850 x W596 x D663

LAUNDRY

	Integrated Washer Dryer	Freestanding Washer Dryers			
	8/4kg	8/5kg	9/6kg	9/6kg	10/6kg
AEG	1  L7WC84636BI New look in 2024	2  LWR7185M4B	3  LWR7496O4B	4  LWR7196U4B Anthracite	5  LWR8516O5UD

Specifications

	Model	Type	Progs	Drum Size (Wash / Dry)	Speed (rpm)	Technology	Water Consumption (L)	Energy Rating (Wash / Dry)	Noise Rating	Appliance Dimension (mm)
1	L7WC84636BI	7000 Series Integrated Washer Dryer	12	8kg / 4kg	1600	ProSteam	45	B / D	A	H819 x W596 x D553
2	LWR7185M4B	7000 Series Freestanding Washer Dryer	10	8kg / 5kg	1400	ProSteam	42	A / D	A	H847 x W597 x D599
3	LWR7496O4B	7000 Series Freestanding Washer Dryer	12	9kg / 6kg	1400	ProSteam	46	A / D	B	H847 x W597 x D660
4	LWR7196U4B	7000 Series Freestanding Washer Dryer	10	9kg / 6kg	1400	ProSteam	45	A / D	B	H847 x W597 x D599
5	LWR8516O5UD	Connected 8000 Series Freestanding Washer Dryer	12	10kg / 6kg	1400	PowerCare	47	A / D	B	H847 x W597 x D660

SMALL APPLIANCES & ACCESSORIES RANGE

Welcome to the Small Appliances and Accessories range. Each product has been specially designed to harness the power of AEG technology, bringing out the best in any ingredient to create great tasting dishes.

Turn good cooking into great cuisine with our gourmet cookware, accessories and parts.

AEG Plancha Grill	A9HL33
Pizza Stone	A9OZPS1
Pan set	A3SS
Champagne Frying Pan set	A9ALFPS1
Fusion Wok	FUSION-WOK
Telescopic Runners	TR1LFV
Easy2Clean Tray	A9OOAF11
Microplastic Filter	A9WHMIC1
Stacking kit	A1WYHSK1





INSTALLER APP

QUICK & EASY INSTALLATION

EASY

Only **ONE** Torx T20 screwdriver to install ALL appliances.

QUICK

Not having to change tools saves time.

FIRST TO MARKET

The first manufacturer to design an installation app specifically for professional installers.


SCAN

Scan or search the product to access all the technical specifications and installation videos.




INTUITIVE INSTALLER APP MADE BY PROFESSIONALS FOR PROFESSIONALS

Discover the correct and fastest way of installing AEG, Electrolux and Zanussi appliances. An app exclusively for professional appliance installers.



Actual Screen shots



Download from the App Store or Google Play. On App Store search 'Electrolux Installer App'



AEG

Premier Partner

AEG has been creating pioneering appliances for the home for over 130 years. While others are catching up, we're moving further on, always an idea ahead. So if you want to know about true state-of-the-art technology, take a look inside.

To find out more visit aeg.co.uk